

ZESTAWIENIE STALI ZBROJENIOWEJ

POZ.	Φ	Długość [m]	Szt	Długość cał. [m]					
				500SP (C)					
				Ø6	Ø8	Ø10	Ø12	Ø16	Ø20
1	IV S8	1,18	138		162,84				
1	IV S12	0,90	296				266,40		
1	IV S10	X	608			4697,33			
1	IV S8	1,00	772		772,00				
1	IV S12	X	1183				9342,88		
1	IV S6	1,08	1505	1625,40					
1	IV S12	6,03	15				72,36		
1	IV S12	5,55	12				66,60		
2	IV S16	3,39	4					13,56	
2	IV S12	9,54	8				76,32		
2	IV S8	1,12	54		60,48				
2	IV S12	1,15	132				44,25		
2	IV S10	X	417			4695,56			
2	IV S12	X	862				9347,01		
2	IV S12	1,15	132				44,25		
2	IV S12	1,15	132				26,16		
3	IV S12	2,91	2				5,82		
3	IV S12	0,94	6				5,64		
3	IV S10	1,16	20			23,20			
3	IV S8	1,02	54		55,08				
3	IV S6	0,96	1371	1316,16					
3	IV S12	0,94	6				33,18		
3	IV S12	0,94	6				38,88		
4	IV S12	1,40	4				5,60		
4	IV S12	10,74	4				42,96		
4	IV S12	2,59	8				20,72		
4	IV S12	3,37	40				134,80		
4	IV S20	1,70	80						136,00
4	IV S12	3,37	40				39,27		
4	IV S12	3,37	40				37,44		
5	IV S12	1,00	4				4,00		
5	IV S12	2,23	4				8,92		
5	IV S12	11,85	4				47,40		
5	IV S12	3,00	110				330,00		
5	IV S6	0,96	1371	74,76					
5	IV S12	3,00	110				27,12		
6	IV S12	1,81	2				3,62		
6	IV S12	2,85	8				22,80		
6	IV S12	11,73	8				93,84		
6	IV S12	1,90	180				342,00		
6	IV S10	X	575			4521,05			
6	IV S8	1,54	610		939,40				
6	IV S6	0,96	1371	63,07					
6	IV S6	0,96	1371	78,84					
7	IV S12	2,49	4				9,96		
7	IV S12	6,76	4				27,04		
7	IV S12	1,70	29				49,30		
7	IV S20	8,43	60						505,80
7	IV S10	X	445			4533,97			
7	IV S12	2,49	4				29,33		
7	IV S12	2,49	4				11,60		
8	IV S12	5,15	8				41,20		

ZESTAWIENIE STALI ZBROJENIOWEJ

POZ.	Φ	Długość [m]	Szt	Długość cał. [m]					
				500SP (C)					
				Ø6	Ø8	Ø10	Ø12	Ø16	Ø20
8	IV S16	8,43	20					168,60	
8	IV S8	1,19	40		47,60				
8	IV S6	1,60	1248	1996,80					
8	IV S6	1,60	1248	33,04					
8	IV S6	1,60	1248	16,20					
9	IV S12	7,30	8				58,40		
9	IV S12	40,66	8				325,28		
9	IV S16	3,21	8					25,68	
9	IV S12	4,48	32				143,36		
10	IV S12	2,73	4				10,92		
10	IV S12	22,14	4				88,56		
10	IV S12	1,12	8				8,96		
10	IV S8	1,24	343		425,32				
11	IV S12	11,25	4				45,00		
11	IV S12	12,11	4				48,44		
11	IV S12	2,89	8				23,12		
11	IV S12	11,52	16				184,32		
12	IV S12	2,53	4				10,12		
12	IV S12	6,31	4				25,24		
12	IV S12	8,46	4				33,84		
12	IV S12	12,41	8				99,28		
13	IV S12	12,95	4				51,80		
13	IV S12	45,69	4				182,76		
13	IV S12	11,15	8				89,20		
13	IV S8	1,48	82		121,36				
14	IV S16	6,47	4					25,88	
14	IV S12	7,69	8				61,52		
14	IV S12	10,95	8				87,60		
14	IV S12	11,99	8				95,92		
15	IV S12	6,23	2				12,46		
15	IV S12	2,74	4				10,96		
15	IV S12	8,07	8				64,56		
15	IV S12	11,68	8				93,44		
16	IV S12	5,39	2				10,78		
16	IV S12	11,45	4				45,80		
16	IV S12	7,24	8				57,92		
16	IV S12	5,02	36				180,72		
17	IV S12	11,31	4				45,24		
17	IV S12	15,87	4				63,48		
17	IV S16	6,42	4					25,68	
17	IV S12	4,40	8				35,20		
18	IV S12	6,18	2				12,36		
18	IV S12	6,17	4				24,68		
18	IV S12	5,02	4				20,08		
18	IV S12	10,36	4				41,44		
19	IV S12	5,32	2				10,64		
19	IV S12	5,67	4				22,68		
19	IV S12	6,57	4				26,28		
19	IV S8	1,00	19		19,00				
20	IV S12	2,74	4				10,96		
20	IV S12	7,81	4				31,24		
20	IV S16	2,95	5					14,75	

ZESTAWIENIE STALI ZBROJENIOWEJ

POZ.	Φ	Długość [m]	Szt	Długość cał. [m]					
				500SP (C)					
				Ø6	Ø8	Ø10	Ø12	Ø16	Ø20
20	IV S12	6,26	12				75,12		
21	IV S12	13,88	4				55,52		
21	IV S12	11,45	12				137,40		
22	IV S12	7,19	4				28,76		
22	IV S16	2,66	4					10,64	
22	IV S12	4,28	16				68,48		
23	IV S12	2,18	2				4,36		
23	IV S12	11,92	4				47,68		
23	IV S12	13,37	4				53,48		
24	IV S12	11,95	4				47,80		
24	IV S12	13,44	4				53,76		
25	IV S12	7,41	4				29,64		
25	IV S12	6,87	8				54,96		
26	IV S12	7,41	4				29,64		
26	IV S12	6,32	16				101,12		
27	IV S12	6,94	4				27,76		
27	IV S12	11,94	4				47,76		
28	IV S12	6,86	4				27,44		
28	IV S12	6,82	20				136,40		
29	IV S12	23,04	4				92,16		
29	IV S12	11,95	12				143,40		
30	IV S12	2,23	4				8,92		
30	IV S12	1,10	154				169,40		
31	IV S6	12,00	20	240,00					
31	IV S6	1,40	503	704,20					
32	IV S12	12,45	28				348,60		
33	IV S12	12,65	8				101,20		
34	IV S12	19,61	4				78,44		
34	IV S12	12,35	8				98,80		
35	IV S12	10,39	4				41,56		
35	IV S12	5,21	24				125,04		
36	IV S12	26,02	4				104,08		
36	IV S6	1,34	504	675,36					
37	IV S6	3,46	2	6,92					
37	IV S12	12,34	16				197,44		
38	IV S12	12,66	16				202,56		
39	IV S12	12,15	4				48,60		
40	IV S12	10,45	4				41,80		
41	IV S12	10,15	4				40,60		
42	IV S6	1,32	224	295,68					
43	IV S12	12,05	24				289,20		
44	IV S6	1,28	226	289,28					
45	IV S12	9,48	4				37,92		
46	IV S12	12,21	8				97,68		
47	IV S12	11,19	4				44,76		
48	IV S12	3,77	4				15,08		
49	IV S12	5,79	4				23,16		
50	IV S12	6,74	4				26,96		
51	IV S12	10,01	4				40,04		
52	IV S12	6,81	4				27,24		
53	IV S12	12,44	4				49,76		
54	IV S12	6,32	4				25,28		

ZESTAWIENIE STALI ZBROJENIOWEJ

POZ.	Φ	Długość [m]	Szt	Długość cał. [m]					
				500SP (C)					
				Ø6	Ø8	Ø10	Ø12	Ø16	Ø20
55	IV S12	3,80	4				15,20		
56	IV S12	6,34	4				25,36		
57	IV S12	11,69	4				46,76		
73	IV S6	0,96	32	30,72					
74	IV S12	6,28	2				12,56		
75	IV S12	6,28	2				12,56		
Suma		m (m ²)		7446,43	2603,08	18471,11	26852,43	284,79	641,80
		kg/m (kg/m ²)		0,451	0,395	0,617	0,926	1,580	2,470
		kg		3357,22	1028,22	11396,68	24864,88	449,97	1585,25
		kg		42682,20					